

Packaging guidelines



2nd revised edition 2010

German Federal Association for
Wooden packaging ·
Pallets ·
Export packaging (HPE) e.V.

Bundesverband
Holzpackmittel ·
Paletten ·
Exportverpackung (HPE) e.V.

Packaging guidelines

Edited by



Bundesverband Holzpackmittel · Paletten · Exportverpackung (HPE) e.V.

The packaging firms who are members of the Federal German Association for Wooden Packaging, pallets and export packaging who refer to these guidelines in their advertising material and contracts engage themselves not to fall below the standards herein set out when manufacturing and executing export packaging. They indicate their engagement by additionally marking packaging units with their mark and registration number.

Only members of the expert group “Packaging according to HPE standard” are entitled to use this stamp. For further details check out www.hpe.de (Fachbetriebe/Exportverpacker nach HPE-Standard).



presented by:

This packaging firm has the following registration number: _____

Packaged goods will be marked with the same number.

Packaging guidelines

**Issued by
HPE, the German Federal Association for
wooden packaging, pallets and export packaging**

2nd revised edition 2010

These guidelines had been revised by a special subcommittee of the HPE expert group "Packaging according to HPE standards" in cooperation with the transport managers' group of the "major plant construction" VDMA¹ working party and by BFSV² Hamburg.

All rights, especially copying of parts or all of these guidelines remain with HPE. The German text issued by HPE, is decisive in all contentious matters.

All earlier versions lose their validity on publication of the present edition

© Bundesverband Holzpackmittel
Paletten Exportverpackung (HPE) e.V.
Wachsbleiche 26
53111 Bonn
Germany

Telefon: +49-(0)228-26 52 46

Telefax: +49-(0)228-26 52 48

E-Mail: office@hpe.de

Internet: www.hpe.de

¹ Association of German machine manufacturers

² German Association for the advice, research, design of systems, packaging development and testing



A. GENERAL REMARKS

1. INTRODUCTION..... 12

2. DEFINITIONS (CORE DEFINITIONS)..... 13

3. STANDARDS, REGULATIONS AND GUIDELINES CITED..... 16

4. SYSTEM OF ABBREVIATIONS 19

 4.1 EXTERNAL PACKAGING..... 19

 4.2 PRESERVATION AND ANTI-CORROSION PROTECTION 20

 4.3 EXAMPLE FOR USING THE ABBREVIATION SYSTEM 20

B. LOAD ASSUMPTIONS

1. LOAD ASSUMPTIONS 21

2. LOADS DUE TO CRUSHING IN STACKS 22

3. HORIZONTAL LOADS..... 23

4. VERTICAL LOADS 24

5. STRESSES THROUGH FALLING AND VIBRATIONS 24

6. TRANSVERSE FORCES DURING CRANE HANDLING..... 24

7. TILTING STRESSES 25

8. CENTRE OF GRAVITY INDICATIONS 25

C. ATMOSPHERIC LOADS

1. TEMPERATURE..... 26

2. AIR HUMIDITY 26

3. PRECIPITATION 27

4. OTHER ATMOSPHERIC FACTORS 27

5. OTHER EXPOSURE FACTORS..... 27

6. PRECAUTIONARY MEASURES 30

D. PREPERATION OF GOODS TO BE PACKED

1. PARTIAL DISASSEMBLY OF PACKAGING GOODS..... 31

2. PADDING OF FRAGILE PARTS 31

3. ADDITIONAL SUPPORT FOR PACKAGED GOODS..... 31

4. SECURING MOVABLE PARTS..... 32

5. CLEANING 32



E. INTERNAL PACKAGING

1. ANTI-CORROSION MEASURES33

2. USE OF DESICCANTS34

3. PROTECTIVE COATINGS37

4. VCI METHOD (VOLATILE CORROSION INHIBITOR).....38

F. EXTERNAL PACKAGING

1. GENERAL REQUIREMENTS39

 1.1 PACKAGING MATERIALS39

 1.2 GUIDELINES FOR DIMENSIONS.....42

2. TYPES OF PACKAGING43

3. CONSTRUCTION FEATURES48

 3.1 LOAD-BEARING CASES / CONSTRUCTION TYPES.....48

 3.2 INTERNAL STRUCTURES.....68

 3.3 CRATES70

 3.4 PARTIAL PACKAGING73

G. PACKAGING AIDS

1. TYPES OF JOINTS78

 1.1 NAILS AND THEIR USE78

 1.2 STAPLES AND STAPLED JOINTS78

 1.3 SCREW NAILS.....79

 1.4 BOLTED JOINTS79

2. PACKAGING FILMS80

 2.1 POLYETHYLENE FILMS (PE FILMS)80

 2.2 ALUMINIUM MULTILAYER OR SANDWICH FILM80

3. PADDING.....81

 3.1 AIR PADS.....81

 3.2 BUBBLE WRAP.....82

 3.3 FIBRE PADS82

 3.4 FOAMS82

 3.5 VIBRATION AND SHOCK ABSORBING ELEMENTS.....82

4. DESICCANTS.....82



5. TRANSPORT MONITORING SYSTEMS.....83
5.1 HUMIDITY INDICATORS83
5.2 SHOCK INDICATORS.....83
5.3 TILT INDICATORS.....83
5.4 DEVICES TO RECORD SHOCKS AND VIBRATION83
6. BANDING STRIPS83

H. CONTAINER STOWAGE

1. GENERAL REMARKS.....84
2. CONTAINER TYPES84
3. TYPES OF CONTAINER TRAFFIC85
4. TRANSPORT STRESSES IN CLOSED CONTAINERS.....85
4.1 MECHANICAL LOADS SEE CHAPTER B85
4.2 ATMOSPHERIC STRESSES.....85
5. CHECKS ON RECEPTION OF CONTAINERS.....85
5.1 CHECKING CONTAINER REGISTRATION.....85
5.2 CHECKING FITNESS FOR USE.....86
6. MINIMUM INTERNAL DIMENSIONS, DOOR SIZE86
7. CONTAINER LOAD BEARING PROPERTIES87
7.1 CONTAINER CONSTRUCTION ELEMENTS.....87
7.2 RESISTANCE OF LOAD SECURING DEVICES IN THE CONTAINER87
8. PACKAGING AND STOWAGE ADVICE88
8.1 PACKAGING ADVICE.....88
8.2 STOWAGE ADVICE88

I. AIR FREIGHT PACKAGING

1. GENERAL REMARKS.....89
2. PREPARATION AND PRECAUTIONARY MEASURES89
3. TRANSPORT STRESSES AND LOAD SECURING NEEDS90
3.1 TRANSPORT STRESSES.....90
3.2 SECURING LOADS DURING AIR TRANSPORT.....90
4. ATMOSPHERIC INFLUENCES.....91
5. PACKAGING ADVICE91



J. SECURING THE GOODS

1. GENERAL REMARKS.....92
2. RESPONSIBILITY AND LIABILITY.....92
3. LOAD SECURING METHODS.....93
4. LOAD SECURING DEVICES AND THEIR USE.....93

K. MARKINGS

1. GENERAL REMARKS.....94
2. STANDARDIZED SYMBOLS.....97

L. SHIPPING DOCUMENTS

1. GENERAL REMARKS.....101
2. DELIVERY NOTE, INVOICE, CERTIFICATE OF ORIGIN.....101
3. PACKING AND ITEM LIST.....101
4. CONSIGNMENT NOTE, BILL OF LADING.....101
5. EXPORT DECLARATION OR SIMILAR DOCUMENTS.....102
6. CERTIFICATES.....102



ill. 1: traction stresses during lifting 24

ill. 2: tilting of packaged goods 25

ill. 3: correct use and layering of desiccants..... 35

ill. 4: resealing after fastening bolts across a film layer..... 36

ill. 5: humidity indicators 36

ill. 6: how do VCIs function? 38

ill. 7: IPPC marking example 40

ill. 8: internal measurements between battens 42

ill. 9: safety distances..... 42

ill. 10: load-bearing packaging..... 43

ill. 11: add-on packaging 43

ill. 12: squared timber constructions..... 46

ill. 13: sledge construction 47

ill. 14: protective cladding 47

ill. 15: bundle 47

ill. 16: case construction components 48

ill. 17: constr.type A1: case without battens 49

ill. 18: constr.type A2: case with batten reinforced end walls 49

ill. 19: constr.type A3: case with batten reinforced end walls, bottom and lid..... 49

ill. 20: constr.type A4: case with reinforced end walls and circumference 50

ill. 21: constr.type A4: case with framed end walls and added internal reinforcements (OSB or plywood).... 50

ill. 22: constr.type A5: case with framed end walls 50

ill. 23: constr.type A5: OSB or plywood case with framed end walls..... 51

ill. 24: constr.type A6: case reinforced with diagonal battens, end walls and circumference battens..... 51

ill. 25: example: bottom securing of goods to construction types A3 – A6 52

ill. 26: bottom of batten reinforced case type A3 – A6 incl. cable fasteners and opening for fork lift trucks.... 52

ill. 27: constr.type B1: case on skids, horizontal boarding, internal batten reinforced sides and lid, external reinforcement to end walls 53

ill. 28: constr.type B2: case on skids, vertical boards, internal battens 53

ill. 29: constr.type B3: case on skids with plywood or OSB cladding..... 53

ill. 30: example: building components of a case with plywood/OSB cladding..... 55

ill. 31: example: building components of a case with sawn timber cladding..... 56

ill. 32: illustration of a bottom..... 57

ill. 33: distance between battens E – entry height 59

ill. 34: bottom for cases on skids, construction type B1 – B3 with transversally fixed cable fasteners 59

ill. 35: bottom for cases on skids, constr.type B1 – B3 with lateral cable fasteners and openings for forklift trucks – central centre of gravity “CG” ⊕ 59



ill. 36: bottom for cases on skids, construction type B1 – B3, length over 200 cm excentric centre of gravity “CG” ⊕.....	59
ill. 37: bottom securing of goods with construction type B1 and B3.....	60
ill. 38: bottom securing of goods with construction type B2 and B3.....	60
ill. 39: fastening of packaged goods to the bottom, no direct bolting.....	60
ill. 40: supporting packaged goods for even load distribution on the bottom.....	61
ill. 41: static transfer of load stresses onto the skids.....	61
ill. 42: timber built end walls for heavy goods cases and crates of construction types B2 and B3	61
ill. 43: sides and end walls	62
ill. 44: lateral batten reinforcements for cases over 150cm high	63
ill. 45: 1 section, a 1, max. dimensions 300cm long x 150 cm high	64
ill. 46: 2 sections long and 2 sections high, b 2, max. dimensions 500 cm long x 250 cm high	64
ill. 47: 3 sections long and 3 sections high, max. Dimension 700 cm long x 350 cm high.....	64
ill. 48: distribution of battens.....	65
ill. 49: lid construction	66
ill. 50: lid board (slightly set back).....	66
ill. 51: example: inner lid supports nailed onto the lid.....	67
ill. 52: example: inner lid supports resting on vertical support battens	67
ill. 53: construction type A3	72
ill. 54: construction type A4	72
ill. 55: construction type A5	72
ill. 56: construction type A6	72
ill. 57: construction type B1	72
ill. 58: construction type B2	72
ill. 59: partial cladding of a lubricant plant	74
ill. 60: partial cladding of a reactor: cladded lid and protective casing for the compensator.....	74
ill. 61: partial packaging of a pipe bundle by cladding the end; cladding fastened to the clamps.....	74
ill. 62: container types	84
ill. 63: acceleration forces during air transport.....	90
ill. 64: profile of the cargo compartment of a Boeing 747-F	91
ill. 65: example of markings	95



table 1:	description of case construction	19
table 2:	protection validity of various preservation and anti-corrosion measures.....	20
table 3:	stress assumptions according to CTU directive on combined transport	21
table 4:	friction values for different material combinations	23
table 5:	atmospheric stresses on ocean-going vessels	29
table 6:	atmospheric stresses in containers.....	29
table 7:	quality grades for packaging timber according to DIN 4074	39
table 8:	wood-based products	41
table 9:	batten count for case types A3 – A6 max. 150 cm high	52
table 10:	correlation between construction types B1 – B3 and packaged goods' net mass (static loads)	55
table 11:	minimum number of skids depending on bottom width	58
table 12:	batten count for case types B1 over 150 cm high	63
table 13:	minimum number of battens for use with types B2 and B3.....	63
table 14:	washer dimensions for load bearing bolt joints.....	79
table 15:	internal container dimensions	86
table 16:	resistance values for goods securing components in containers	87
table 17:	use of load securing devices.....	93